ELSEVIER

Journal of Magnetism and Magnetic Materials 254–255 (2003) 646–656

journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

# Author index to volumes 254–255

Abrosimova, N.M., see Shalyguina, E.E. 173
Acher, O., see Lebourgeois, R. 608
Adenot, A.-L., see Lebourgeois, R. 608
Ahn, G.Y., see Kim, C.S. 568
Albertin, E., see Landgraf, F.J.G. 364
Allia, P., M. Coisson, J. Moya, P. Tiberto and F. Vinai, Granular metallic systems as interacting superparamagnets: anhysteretic magnetization and hysteresis loops 143
Allia, P., M. Coisson, P. Tiberto, F. Vinai and H. Chiriac, High-frequency magnetic aftereffect in Co-based amorphous wires and ribbons 207
Almazán, R.P., L. Pérez, C. Aroca, M.C. Sánchez, E. López and P. Sánchez, Magnetometric sensors based on planar spiral coils 630
Alnaemi, F. and A.J. Moses, Improvement of permanent magnet machines performance by including magnetic shells into the rotor geometry 250
Al-Naemi, F., see Moses, A.J. 228
Alves, F. and R. Barrué, Anisotropy and domain patterns of flash stress-annealed soft amorphous and nanocrystalline alloys 155
Alves, F., see Waeckerlé, T. 480
An, S.Y., see Lee, S.W. 565
Anayi, F., A.J. Moses and K. Jenkins, Effect of aluminium diffusion into electrical steel on power loss under flux distortion conditions 36
Anderson, P., see Moses, A.J. 54
Andreev, V., see Gonchar, A. 544
Antón, R.L., M.L. Fdez-Gubieda, G. Kurlyandskaya and A. García-Arribas, Synthesis and characterisation of electrodeposited $Cu_{90}Co_{10}$ thin film 85
Antón, R.L., see Vas'kovskiy, V.O. 115
Aoki, K., see Suzuki, K. 441
Apiñaniz, E., J.S. Garitaonandia, F. Plazaola, J.J. del Val, J.A. Jimenez and A.R. Pierna, Study of the structure influence on the magnetism of $Fe_{70}Al_{30}$ alloy 136
Appino, C., C. Beatrice, E. Ferrara and F. Fiorillo, The mechanism for loss minimization at medium and high frequencies in field annealed amorphous alloys 213
Arai, K.I., see Yabukami, S. 111
Aroca, C., see Almazán, R.P. 630
Aroca, C., see Rivero, M.A. 636
Asti, G., see Beatrice, C. 149
Ayala, O., see Medina-Boudri, A. 219
Bae, B.K., J.S. Woo and J.K. Kim, Effect of heating rate on properties of non-oriented electrical steel containing 0.4% Si 373
Bakon, T., see Schoppa, A. 367
Bán, G. and P.E. Di Nunzio, Minimum force model. Effect of crystallographic texture on the magnetostriction and loss characteristics of non-oriented electrical steels 265
Bán, G., Model to evaluate the AC–DC magnetostriction characteristics of SiFe electrical steels 324
Baran, M., see Bedarev, V.A. 216
Barandiaran, J.M., see Randrianantoandro, N. 528
Barandiarán, J.M., see Peña, A. 586
Baricco, M., see Uriarte, J.L. 532
Baró, M.D., see Uriarte, J.L. 532
Barquín, L.F., see Yedra, A. 14
Barquín, L.F., see Calderón, R.G. 79
Barquín, L.F., see Gorria, P. 504
Barreta, J.R., see Emura, M. 358
Barrué, R., see Alves, F. 155
Barsoum, S., see Krismanic, G. 60
Bas, J.A., J.A. Calero and M.J. Dougan, Sintered soft magnetic materials. Properties and applications 391
Basso, V., see Beatrice, C. 158
Baudouin, P., Y. Houbaert and S. Tumanski, Magnetic local investigations of non-oriented electrical steels after tensile deformation 32
Baudouin, P., see Pulnikov, A. 355
Beatrice, C., F. Fiorillo, G. Asti, M. Solzi and S.S. Sartori, Effect of annealing on the magnetisation processes in cold-rolled thin Ni sheets 149
Beatrice, C., V. Basso, M.L. Bue, P. Tiberto and G. Bertotti, Experimental study of the magnetization processes in nanostructured soft magnetic materials 158
Beatrice, C., see Appino, C. 213
Beckley, P., see Loisos, G. 340
Beckley, P., see Passadis, K. 385
Bedarev, V.A., V.I. Gapon, S.L. Gnatchenko, M. Baran, R. Szymczak, J.-M. Desvignes and H.L. Gall, Metamagnetic phase transition in photoilluminated $Ca_3Mn_2Ge_3O_{12}$ garnet 216
Berkowitz, A.E., M.F. Hansen, F.T. Parker, K.S. Vecchio, F.E. Spada, E.J. Lavernia and R. Rodriguez, Amorphous soft magnetic particles produced by spark erosion 1
Bérenguer, S., see Lebourgeois, R. 191
Bertorello, H.R., see Medina-Boudri, A. 219

0304-8853/03/$ - see front matter
PII: S0304-8853(02)01438-5

Bertotti, G., see Beatrice, C. 158
Bertotti, G., see Magni, A. 210
Bhagat, N., see Gupta, A. 492
Bieńkowski, A., R. Kolano and R. Szewczyk, New method of characterization of magnetoelastic properties of amorphous ring cores 67
Bieńkowski, A., see Szewczyk, R. 284
Bieńkowski, A., K. Rożniatowski and R. Szewczyk, Effects of stress and its dependence on microstructure in Mn–Zn ferrite for power applications 547
Billardon, R., see Hubert, O. 352
Billardon, R., see Ossart, F. 170
Blanco, J.M., see Zhukova, V. 94
Blanco, J.M., see Zhukova, V. 182
Blanco, J.M., see Zhukova, V. 185
Blanco, J.M., see Chizhik, A. 188
Blázquez, J.S., V. Franco, C.F. Conde and A. Conde, Microstructure and magnetic properties of $Fe_{78-x}Co_xNb_6B_{15}Cu_1$ ($x = 18, 39, 60$) alloys 460
Boglietti, A., O. Bottauscio, M. Chiampi and M. Lazzari, Modelling high frequency phenomena in the rotor of induction motors under no-load test conditions 244
Borrego, J.M., A. Conde, S. Roth and J. Eckert, Soft magnetic properties of FeCoSiAlGaPCB amorphous alloys 444
Borza, F., see Neagu, M. 472
Bottauscio, O., A. Canova, M. Chiampi and M. Repetto, Rotational hysteresis and eddy current losses in electrical motor stators under non-conventional supply 241
Bottauscio, O., M. Chiampi and L. Rege, Influence of skin effect on magnetic flux distribution in voltage driven devices with laminated cores 234
Bottauscio, O., see Boglietti, A. 244
Bue, M.L., see Beatrice, C. 158
Bydžovský, J., see Krivošik, P. 198

Cadogan, J.M., see Suzuki, K. 441
Calderón, R.G., D.H. Ucko, L.F. Barquín and Q.A. Pankhurst, Magnetic properties of nanoscale $Fe_xCu_xAg_{100-2x}$ ($x = 15, 35$) granular alloys 79
Calero, J.A., see Bas, J.A. 391
Canova, A., see Bottauscio, O. 241
Carracedo, M.T., see García, A. 296
Carracedo, M.T., see Morón, C. 510
Catellani, S., see Cornut, B. 97
Cesar, M.d.G.M.M. and M.J. Mantel, Effect of the temperature and dew point of the decarburization process on the oxide subscale of a 3% silicon steel 337
Chakrabarti, P.K., F. Mazaleyrat and L.K. Varga, Soft magnetic properties of rapidly quenched pig-iron-based alloys 447
Champion, Y., see Moulin, J. 538
Chatziilias, N., T. Meydan and C. Porter, Real time digital waveform control for magnetic testers 104
Chernenkov, Y.P., V.I. Fedorov, V.A. Lukshina, B.K. Sokolov and N.V. Ershov, Short-range order in α-Fe–Si single crystals 346
Chevalier, Th., see Kedous-Lebouc, A. 124
Chiampi, M., see Bottauscio, O. 234
Chiampi, M., see Bottauscio, O. 241
Chiampi, M., see Boglietti, A. 244
Chiba, T., see Kondo, K. 541
Chino, A., see Oda, Y. 361
Chiriac, H. and C. Hison, Mechanical behavior of nanocrystalline Fe–Hf–B ribbons 475
Chiriac, H., see Allia, P. 207
Chiriac, H., see Kraus, L. 399
Chiriac, H., T.-A. Óvári and A. Zhukov, Magnetoelastic anisotropy of amorphous microwires 469
Chiriac, H., see Neagu, M. 472
Chizhik, A., A. Zhukov, J.M. Blanco and J. Gonzalez, Kerr effect investigation of magnetization reversal in Co-rich glass coated microwires 188
Choi, D., see Kim, Y.M. 419
Ciurzynska, W., see Gómez-Polo, C. 88
Ciurzyńska, W., see Olszewski, J. 516
Ciurzyńska, W., see Zbroszczyk, J. 513
Ciurzyńska, W.H., see Hasiak, M. 434
Ciurzyńska, W.H., see Hasiak, M. 457
Coisson, M., see Allia, P. 143
Coisson, M., see Allia, P. 207
Conde, A., see Blázquez, J.S. 460
Conde, A., see Borrego, J.M. 444
Conde, C.F., see Blázquez, J.S. 460
Coombs, A., see Snell, D. 349
Cornejo, D.R., see Medina-Boudri, A. 219
Cornut, B., S. Catellani, J.C. Perrier, A. Kedous-Lebouc, T. Waeckerlé and H. Fraisse, New compact and precise magnetometer 97
Cornut, B., see Kedous-Lebouc, A. 124
Cornut, B., see Kedous-Lebouc, A. 321
Cunha, M.A., see Landgraf, F.J.G. 328

Da Cunha, M.A. and S.C. Paolinelli, Effect of the annealing temperature on the structure and magnetic properties of 3% Si non-oriented steel 379
Daniel, L., see Hubert, O. 352
De Francisco, C., see Flores, A.G. 583
Degauque, J., see Waeckerlé, T. 480
Del Val, J.J., see Apiñaniz, E. 136
Derebasi, N., see Miti, G.K. 262
Desvignes, J.-M., see Bedarev, V.A. 216
Desvignes, J.M., see Tekielak, M. 562
De Wulf, M., D. Makaveev, Y. Houbaert and J. Melkebeek, Design and calibration aspects of small size single sheet testers 70
De Wulf, M., see Makaveev, D. 256
De Wulf, M., see Pulnikov, A. 47
De Wulf, M., S. Jacobs and J. Melkebeek, Influence of material quality on the magnetic and mechanical properties of steel sheet for salient pole electrical machines 621
Di Nunzio, P.E., see Bán, G. 265
Didukh, P. and A. Ślawska-Waniewska, Magnetocaloric effect in slightly crystallised Co–Nb–Cu–Si–B alloy 407
Didukh, P., see Nedelko, O. 281
Dolinar, D., see Štumberger, G. 618
Dominguez, L., see Sitkowski, T. 287
Döscher, M., see Ripka, P. 639
Dosoudil, R., see Sláma, J. 195

Dosoudil, R., see Sláma, J. 642
Dougan, M.J., see Bas, J.A. 391
Duhaj, P., see Vlasák, G. 225
Duhaj, P., see Mehnen, L. 627
Dupré, L., see Makaveev, D. 256
Dupré, L.R., R. Van Keer and J.A.A. Melkebeek, Evaluation of magnetostrictive effects in soft magnetic materials using the Preisach theory 121
Džubinský, M. and F. Kováč, Microstructure and texture development of Fe–3%Si GO steel during high temperature annealing 388

Eckert, J., see Borrego, J.M. 444
Eckert, J., see Grahl, H. 23
Eckert, J., see Saage, G. 26
Emura, M., F.J.G. Landgraf, W. Ross and J.R. Barreta, The influence of cutting technique on the magnetic properties of electrical steels 358
Emura, M., see Landgraf, F.J.G. 328
Emura, M., see Landgraf, F.J.G. 364
Enokizono, M. and H. Matsuo, A measurement system for two-dimensional DC-biased properties of magnetic materials 39
Enokizono, M., see Shimoji, H. 290
Enokizono, M., see Szpryngacz, M. 410
Ershov, N.V., see Chernenkov, Y.P. 346

Falleiros, I.G.S., see Landgraf, F.J.G. 364
Favieres, C., see Madurga, V. 140
Fdez-Gubieda, M.L., see Antón, R.L. 85
Fdez-Gubieda, M.L., see García Prieto, A. 82
Fdez-Gubieda, M.L., see Vas'kovskiy, V.O. 115
Fedorov, V.I., see Chernenkov, Y.P. 346
Feng, L.-Y., see Hernando, B. 525
Ferrara, E., see Appino, C. 213
Fiorillo, F., see Appino, C. 213
Fiorillo, F., see Beatrice, C. 149
Fischer, O. and J. Schneider, Influence of deformation process on the improvement of non-oriented electrical steel 302
Flores, A.G., M. Zazo, J. Íñiguez, V. Raposo, C. de Francisco, J.M. Muñoz and W.J. Padilla, Ferromagnetic resonance in double perovskite $Ba_2FeMoO_6$ 583
Flores, A.G., see Raposo, V. 204
Fox, D., see Miti, G.K. 262
Fraisse, H., see Cornut, B. 97
Fraisse, H., see Waeckerlé, T. 253
Frait, Z., see Kraus, L. 399
Franco, V., see Blázquez, J.S. 460
Franco, V., see Kiss, L.F. 483
Franek, J., see Sláma, J. 642
Fujii, H., see Ushigami, Y. 307
Fujikura, M., see Ushigami, Y. 307
Fujiwara, K., see Tomida, T. 315
Fukunaga, H., H. Tanaka, T. Yanai, M. Nakano and J.M. Song, Gapless Fe-based metallic cores with low permeability 519
Fukunaga, H., see Hasiak, M. 434
Fukunaga, H., see Hasiak, M. 457
Fukunaga, H., see Olszewski, J. 516
Fulmek, P.L., see Hauser, H. 293
Füzi, J., A. Iványi and Zs. Szabó, DC shielding efficiency of spherical shells with holes 237
Füzi, J. and G. Kádár, Frequency dependence in the product Preisach model 278
Füzi, J., see Ivanyi, A. 382

Gall, H.L., see Bedarev, V.A. 216
Ganne, J.-P., see Lebourgeois, R. 608
Gapon, V.I., see Bedarev, V.A. 216
García, A., C. Morón and F. Maganto, Magnetization processes in bistable amorphous ribbons with induced helical anisotropy 161
García, A., C. Morón and M.T. Carracedo, Theoretical calculation for magnetometric sensor based in anhysteretic processes 296
García, A., see Morón, C. 510
García-Arribas, A., see Prieto, A.G. 82
García-Arribas, A., see Antón, R.L. 85
Garitaonandia, J.S., see Apiñaniz, E. 136
Gańshina, E.A., N.S. Perov, M.Yu. Kochneva, P.M. Sheverdyaeva, C.G. Kim and C.O. Kim, Weak magnetic field annealing effect on magneto-optical and magnetostatic properties of Co-based amorphous ribbons 428
Gautard, D., see Waeckerlé, T. 253
Gercsi, Zs., see Varga, L.K. 477
Gnatchenko, S.L., see Bedarev, V.A. 216
Goleman, R., Three-phase induction motor integrated with a magnetic frequency changer 299
Gómez-Polo, C., J.I. Pérez-Landazábal, V. Recarte and W. Ciurzynska, Effect of the ordering on the magnetic and magnetoimpedance properties of Fe-6.5% Si alloy 88
Gona, M.N., S. Yanase, S. Hashi and Y. Okazaki, Magnetoimpedance effect in nanocrystalline FeZrNbB ribbons 466
Gonchar, A., V. Andreev, L. Letyuk, A. Shishkanov and V. Maiorov, Problems of increasing of thermostability of highly permeable Ni–Zn ferrites and relative materials for telecommunications 544
Gonzalez, J., see Zhukova, V. 94
Gonzalez, J., see Zhukova, V. 182
Gonzalez, J., see Zhukova, V. 185
Gonzalez, J., see Chizhik, A. 188
González, J., see Miguel, C. 463
Goričan, V., A. Hamler, M. Jesenik, B. Štumberger and M. Trlep, Unreliable determination of vector $\boldsymbol{B}$ in 2-D SST 130
Goričan, V., see Jesenik, M. 247
Goričan, V., see Štumberger, B. 269
Gorodetsky, G., see Shames, A.I. 589
Gorria, P., L.F. Barquín, V.M. Prida and W.S. Howells, Microstructural study of joule heated nanocrystalline alloys using in situ neutron diffraction 504
Grahl, H., S. Roth, J. Eckert and L. Schultz, Stability and magnetic properties of Fe-based amorphous alloys with supercooled liquid region 23
Grenèche, J.-M., see Randrianantoandro, N. 528
Grenèche, J.M., see Moulin, J. 538

Grössinger, R., H. Sassik, D. Holzer and N. Pillmayr, Magnetic characterization of soft magnetic materials—experiments and analysis 7
Grusková, A., see Sláma, J. 195
Grusková, A., see Sláma, J. 642
Gubernatorov, V.V. and T.S. Sycheva, Physical nature of effects of thermomagnetic and thermomechanical treatments in ferromagnets 404
Gupta, A., S.N. Kane, N. Bhagat and T. Kulik, Effect of Cu, Nb and Ta addition on the structural and magnetic properties of amorphous Fe–Si–B alloys 492
Gupta, A., see Kane, S.N. 495
Gupta, A., see Kane, S.N. 498
Gupta, A., see Kane, S.N. 501
Gutiérrez, J., see Peña, A. 586

Hall, J., see Moses, A.J. 228
Hall, J.P., A.J. Moses, T. Irons and D. Snell, Novel magnetic method for the detection of residual curvature in electrical steel 64
Hamler, A., see Goričan, V. 130
Hamler, A., see Jesenik, M. 247
Hamler, A., see Štumberger, B. 269
Han, H., C.S. Kim and B.W. Lee, Magnetic properties of ordered Perovskite $Ba_2FeMoO_6$ 574
Han, H., see Lee, W.Y. 577
Han, S.H., see Kim, Y.M. 419
Haneczok, G., see Kwapuliński, P. 413
Hansen, M.F., see Berkowitz, A.E. 1
Harada, K., see Hirano, M. 43
Harada, K., see Hori, S. 133
Harase, J. and R. Shimizu, Influence of annealing temperature before cold rolling and Cu content on the secondary recrystallization in nitrided Fe-3% si alloy 343
Hartmann, K., A.J. Moses and T. Meydan, A system for measurement of AC Barkhausen noise in electrical steels 318
Hashi, S., see Niwa, H. 376
Hashi, S., see Gona, M.N. 466
Hasiak, M., W.H. Ciurzyńska, Y. Yamashiro and H. Fukunaga, Soft magnetic properties of amorphous and nanocrystalline $Fe_{80}Zr_4Ti_3B_{12}Cu_1$ alloy 434
Hasiak, M., M. Miglierini, Y. Yamashiro, W.H. Ciurzyńska, T. Yanai and H. Fukunaga, Microstructure and magnetic properties of nanocrystalline Fe–Zr–TM–B–Cu (TM = Nb or Mn) alloys 457
Hauser, H. and P.L. Fulmek, Magnetization process modeling of anisotropic magnetoresistive permalloy films 293
Hauser, H., see Ripka, P. 639
Havlíček, V. and M. Pokorný, Increasing of AC compensation method accuracy 76
Hernando, B., V.M. Prida, M.L. Sánchez, M. Tejedor, M. Vázquez and L.-Y. Feng, Torsional stress dependence of reactance and resistance in Fe-rich amorphous wires at low frequencies 525
Hernández, T., see Peña, A. 586
Hervieu, M., see Shames, A.I. 589
Herzer, G., Magnetic materials for electronic article surveillance 598
Heunen, G., see Uriarte, J.L. 532
Hirano, M., Y. Ishihara, K. Harada and T. Todaka, A study on measurement of magnetostriction of silicon steel sheet by laser displacement meter 43
Hirao, N., see Mita, M. 272
Hirsinger, L. and C. Lexcellent, Modelling detwinning of martensite platelets under magnetic and (or) stress actions on Ni–Mn–Ga alloys 275
Hison, C., see Chiriac, H. 475
Holzer, D., see Grössinger, R. 7
Homma, H., B. Hutchinson and T. Kubota, The production mechanism of extensively sharp Goss orientation in HI-B material 331
Honda, T., see Takezawa, M. 167
Hori, S., Y. Ishihara, K. Harada and T. Todaka, A study of the loss characteristics of the amorphous magnetic material under the distorted wave magnetic flux 133
Houbaert, Y., see Baudouin, P. 32
Houbaert, Y., see De Wulf, M. 70
Howells, W.S., see Gorria, P. 504
Hubert, O., L. Daniel and R. Billardon, Experimental analysis of the magnetoelastic anisotropy of a non-oriented silicon iron alloy 352
Hubert, O., see Ossart, F. 170
Hudec, I., see Sláma, J. 195
Hug, E., see Iordache, V.E. 57
Hutchinson, B., see Homma, H. 331

Ie, S.Y., see Lee, J.c. 592
Íñiguez, J., see Flores, A.G. 583
Iñiguez, J.I., see Raposo, V. 204
Iordache, V.E., F. Ossart and E. Hug, Magnetic characterisation of elastically and plastically tensile strained non-oriented Fe–3.2%Si steel 57
Irons, T., see Hall, J.P. 64
Ishihara, Y., see Hirano, M. 43
Ishihara, Y., see Hori, S. 133
Ivanyi, A. and J. Füzi, Two-dimensional field model for single-sheet tester 382
Iványi, A., see Füzi, J. 237
Iwami, Y., Y. Okazaki and A. Saito, Unique stress-magnetization change of Co-based amorphous ribbon due to magnetic field heat treatment 127

Jacobs, S., see De Wulf, M. 621
Jenkins, K., see Anayi, F. 36
Jeong, K., see Lee, J.c. 592
Jesenik, M., V. Goričan, M. Trlep, A. Hamler and B. Štumberger, Field homogeneity in a two-phase round rotational single sheet tester with one and both side shields 247
Jesenik, M., see Goričan, V. 130
Jesenik, M., see Štumberger, B. 269
Jimenez, J.A., see Apiñaniz, E. 136
Jimenez, J.A., see Randrianantoandro, N. 528

Kádár, G., see Füzi, J. 278
Kaczkowski, Z., P. Ruuskanen and A. Lovas, Moduli of elasticity of the $Fe_{72.5}Cu_1Nb_4Si_{13.5}B_9$ amorphous alloy 164

Kaido, C., see Takezawa, M. 167
Kákay, A., see Varga, L.K. 477
Kalincsák, Z., see Lovas, A. 489
Kane, S.N., see Gupta, A. 492
Kane, S.N., A. Gupta, S.D. Sarabhai and L. Kraus, Influence of Co content on structural and magnetic properties of $Co_xFe_{84-x}Nb_7B_9$ alloys 495
Kane, S.N., A. Gupta, T. Kulik and L. Kraus, Influence of intrinsic and induced anisotropy on magnetoimpedance effect in amorphous $CO_{67}Fe_4Mo_{1.5}Si_{16.5}B_{11}$ 498
Kane, S.N., A. Gupta and L.K. Varga, Mössbauer study of plastic deformation in amorphous$Fe_{40}Ni_{40}B_{20}$ and $Fe_{78}Si_9B_{11}C_2$ alloys 501
Kang, Y.H., see Yu, S.C. 450
Kaniusas, E., L. Mehnen and H. Pfützner, Magnetostrictive amorphous bilayers and trilayers for thermal sensors 624
Kaspar, P., see Platil, A. 108
Kaspar, P., see Ripka, P. 633
Kedous-Lebouc, A., see Cornut, B. 97
Kedous-Lebouc, A., B. Cornut, J.C. Perrier, Ph. Manfé and Th. Chevalier, Punching influence on magnetic properties of the stator teeth of an induction motor 124
Kedous-Lebouc, A., C. Vernescu and B. Cornut, A two-dimensional Preisach particle for vectorial hysteresis modeling 321
Kemény, T., see Kiss, L.F. 483
Keszei, B., see Vértesy, G. 550
Kikuchi, S., see Yabukami, S. 111
Kim, C.G., see Gańshina, E.A. 428
Kim, C.G., see Yu, S.C. 450
Kim, C.O., see Gańshina, E.A. 428
Kim, C.O., see Yoon, T.-S. 416
Kim, C.S., see Yoon, S.H. 507
Kim, C.S., B.K. Min, S.J. Kim, S.R. Yoon and Y.R. Uhm, Crystallographic and magnetic properties of $Y_3Fe_{5-x}Al_xO_{12}$ 553
Kim, C.S., see Lee, S.W. 565
Kim, C.S., I.-B. Shim, S.B. Kim, S.R. Yoon and G.Y. Ahn, Mössbauer studies of iron-doped $La_{0.67}Sr_{0.33}Mn^{57}_{0.99}Fe_{0.01}O_3$ 568
Kim, C.S., see Shim, I.-B. 571
Kim, C.S., see Han, H. 574
Kim, C.S., see Lee, W.Y. 577
Kim, C.S., see Kim, S.B. 580
Kim, C.S., see Lee, J.c. 592
Kim, C.S., see Uhm, Y.R. 595
Kim, H.J., see Kim, Y.M. 419
Kim, J., see Kim, Y.M. 419
Kim, J.K., see Bae, B.K. 373
Kim, K.H., see Kim, Y.M. 419
Kim, K.S., S.C. Yu, A. Perumal and V. Srinivas, Reentrant behavior of amorphous FeMnZr alloys 100
Kim, K.S., S.-C. Yu, H. Lee and Y.-K. Kim, Soft magnetic properties of nanocrystalline $Fe_{75-x}$-$Co_xZr_8Nb_2B_{15}$ ($x = 5, 10, 15$) alloys 437
Kim, S.B., B.W. Lee, S.R. Yoon and C.S. Kim, Anisotropic hyperfine field fluctuation in $Ba_2Fe$-$MoO_6$ 580
Kim, S.B., see Kim, C.S. 568
Kim, S.B., see Lee, W.Y. 577
Kim, S.B., see Yoon, S.H. 507
Kim, S.J., see Kim, C.S. 553
Kim, Y.-K., see Kim, K.S. 437
Kim, Y.K., see Lee, H. 522
Kim, Y.M., D. Choi, K.H. Kim, J. Kim, S.H. Han and H.J. Kim, Thickness effects on magnetic properties and ferromagnetic resonance of Co–Ni–Fe soft magnetic thin films 419
Kim, Y.U., see Yu, S.C. 450
Kimura, F., see Mita, M. 272
Kiss, L.F., T. Kemény, I. Vincze and V. Franco, Low-temperature spin freezing in soft magnetic nanocrystalline alloys 483
Kiss, L.F., J. Kováč and A. Lovas, Influence of early stages of nanocrystallization on the low-temperature magnetic properties of nanocrystalline ribbons 486
Kiss, L.F., see Lovas, A. 489
Kladivová, M., see Ziman, J. 176
Kochneva, M.Yu., see Gańshina, E.A. 428
Kockar, H., see Meydan, T. 91
Kolano, A. and K. Mateja-Kaczmarska, The influence of post-annealing cooling rates on magnetic properties of Fe-based nanocrystalline alloys 431
Kolano, R., see Bieńkowski, A. 67
Kolano, A., see Zbroszczyk, J. 513
Kolano, R., see Zbroszczyk, J. 513
Kollár, P., see Zeleňáková, A. 152
Kollárová, M., see Zeleňáková, A. 152
Komarova, M.A., see Shalyguina, E.E. 173
Komatsubara, M., see Takamiya, T. 334
Kondo, K., T. Chiba and S. Yamada, Effect of microstructure on magnetic properties of Ni–Zn ferrites 541
Koo, E.S., see Yoon, T.-S. 416
Korzunin, G.S., see Shulika, V.V. 454
Kostishyn, V.G. and L.M. Letyuk, Role of $Ca^{2+}$ ions uncompensated with isovalent ions in the formation of magnetic properties in $(YSmLuCa)_3(FeGe)_5O_{12}$, $(YYbBi)_3(FeGa)_5O_{12}$ and $(YBi)_3(FeGa)_5O_{12}$ epitaxial films 559
Kostishyn, V.G. and L.M. Letyuk, Use of corona electret state in Bi-containing ferrite–garnet heterocompositions for thermomagnetic data recording 556
Kováč, F., see Džubinský, M. 388
Kováč, J., see Kiss, L.F. 486
Kovács, Gy., see Varga, L.K. 477
Kraus, L., Z. Frait, K.R. Pirota and H. Chiriac, Giant magnetoimpedance in glass-covered amorphous microwires 399
Kraus, L., see Kane, S.N. 495
Kraus, L., see Kane, S.N. 498
Kraus, L., see Ripka, P. 633
Krell, C., E. Leiss and H. Pfützner, Power loss of highly grain oriented silicon steel under rotational magnetization 201
Krismanic, G., E. Leiss, S. Barsoum and H. Pfützner, Automatic scanning system for the determination of local loss distributions in magnetic cores 60
Krivošik, P., J. Bydžovský and E. Ušák, A new approach to modeling of loss separation in grain-oriented Fe–Si laminations 198

Kułakowski, K., see Sitkowski, T. 287
Kubota, T., see Homma, H. 331
Kubota, T., see Ushigami, Y. 307
Kulik, T., see Gupta, A. 492
Kulik, T., see Kane, S.N. 498
Kurlyandskaya, G., see Antón, R.L. 85
Kurlyandskaya, G.V., see Vas'kovskiy, V.O. 115
Kurosawa, M., see Takamiya, T. 334
Kuźmiński, M., see Zeleňáková, A. 152
Kuznetsov, E.A., see Rinkevich, A.B. 603
Kvick, A., see Uriarte, J.L. 532
Kwapuliński, P., J. Rasek, Z. Stokłosa and G. Haneczok, Magnetic properties of $Fe_{74}Cu_1Cr_xZr_{3-x}Si_{13}B_9$ amorphous alloys 413

Landgraf, F.J.G., T. Yonamine, M. Emura and M.A. Cunha, Modelling the angular dependence of magnetic properties of a fully processed non-oriented electrical steel 328
Landgraf, F.J.G., T. Yonamine, R. Takanohashi, F.Q. Silva, J.P.V. Tosetti, F.B. Neto, E. Albertin, V.N.G. Mazzarella, I.G.S. Falleiros and M. Emura, Magnetic properties of silicon steel with as-cast columnar structure 364
Landgraf, F.J.G., see Emura, M. 358
Larin, V., see Zhukova, V. 94
Lavernia, E.J., see Berkowitz, A.E. 1
Lavrent'ev, A.G., see Shulika, V.V. 454
Lazzari, M., see Boglietti, A. 244
Lebourgeois, R., S. Bérenguer, C. Ramiarinjaona and T. Waeckerlé, Analysis of the initial complex permeability versus frequency of soft nanocrystalline ribbons and derived composites 191
Lebourgeois, R., J.-P. Ganne, G. Peyresoubes, W. Rebernak, A.-L. Adenot and O. Acher, New ferromagnetic composites for radio-frequency applications 608
Lee, B.W., see Han, H. 574
Lee, B.W., see Lee, W.Y. 577
Lee, B.W., see Kim, S.B. 580
Lee, C.W., see Shim, I.-B. 571
Lee, C.W. see Uhm, Y.R. 595
Lee, H., Y.K. Kim and S.C. Yu, Temperature dependence of soft magnetic properties in amorphous $Co_{69}Fe_{4.5}X_{1.5}Si_{10}B_{15}$ (X = Cr, Mn, Ni) alloys 522
Lee, H., see Kim, K.S. 437
Lee, H.-M., see Shim, I.-B. 571
Lee, H.M., see Yoon, S.H. 507
Lee, J.-G., see Shim, I.-B. 571
Lee, J.-G., see Uhm, Y.R. 595
Lee, J.c., S.Y. Ie, S.I. Park, C.S. Kim and K. Jeong, Magnetotransport properties of perovskite La–Ba–Mn–O-deposited films on Si substrates 592
Lee, S.W., S.Y. An, S.R. Yoon, I.-B. Shim and C.S. Kim, Atomic migration in $Co_{0.9}Zn_{0.1}Fe_2O_4$ 565
Lee, W.Y., H. Han, S.B. Kim, C.S. Kim and B.W. Lee, Some effects of Fe/Mo disorder in double perovskite $Ba_2Fe_{1+x}Mo_{1-x}O_6$ 577
Leicht, J., see Moses, A.J. 54
Leiss, E., see Krismanic, G. 60
Leiss, E., see Krell, C. 201
Lelątko, J., see Olszewski, J. 516
Lelątko, J., see Zbroszczyk, J. 513
Lenssen, K.-M.H., see Ripka, P. 639
Lepalovskij, V.N., see Vas'kovskiy, V.O. 115
Letyuk, L., see Gonchar, A. 544
Letyuk, L.M., see Kostishyn, V.G. 556
Letyuk, L.M., see Kostishyn, V.G. 559
Lexcellent, C., see Hirsinger, L. 275
Li, Y., see Yoon, T.-S. 416
Loisos, G., A.J. Moses and P. Beckley, Electrical stress on electrical steel coatings 340
Louis, H., see Schoppa, A. 370
Lovas, A., see Kaczkowski, Z. 164
Lovas, A., see Kiss, L.F. 486
Lovas, A., B. Varga, L.F. Kiss, L. Nakonechna and Z. Kalincsák, The evolution of soft magnetic properties and the related density change during amorphous–nanocrystalline transformation 489
López, E., see Almazán, R.P. 630
López, E., see Rivero, M.A. 636
Lucke, R., see Ott, G. 535
Łukiewska, A., see Olszewski, J. 516
Łukiewski, M., see Zbroszczyk, J. 513
Lukshina, V.A., see Chernenkov, Y.P. 346

Madurga, V., J. Vergara and C. Favieres, Influence of nature of the substrate on the soft magnetic properties of pulsed laser ablated-deposited amorphous Co 140
Maganto, F., see García, A. 161
Magni, A., G. Bertotti, I.D. Mayergoyz and C. Serpico, Landau–Lifschitz–Gilbert dynamics and eddy current effects in metallic thin films 210
Maicas, M., see Rivero, M.A. 636
Maignan, A., see Shames, A.I. 589
Maiorov, V., see Gonchar, A. 544
Makaveev, D., L. Dupré, M. De Wulf and J. Melkebeek, Dynamic hysteresis modelling using feed-forward neural networks 256
Makaveev, D., see De Wulf, M. 70
Maksymowicz, A.Z., see Sitkowski, T. 287
Malatek, M., see Ripka, P. 633
Manfé, Ph., see Kedous-Lebouc, A. 124
Mantel, M.J., see Cesar, M.d.G.M.M. 337
Marketos, P., T. Meydan and D. Snell, Performance of single-phase transformer cores assembled from consolidated stacks of electrical steels 612
Markovich, V., see Shames, A.I. 589
Martin, C., see Shames, A.I. 589
Mateja-Kaczmarska, K., see Kolano, A. 431
Matsuo, H., see Enokizono, M. 39
Matutes-Aquino, J., see Medina-Boudri, A. 219
Mayergoyz, I.D., see Magni, A. 210
Mazaleyrat, F., see Chakrabarti, P.K. 447
Mazaleyrat, F., see Moulin, J. 538
Mazaleyrat, F., see Varga, L.K. 477
Maziewski, A., see Zaytseva, I. 118
Maziewski, A., see Tekielak, M. 562
Mazzarella, V.N.G., see Landgraf, F.J.G. 364
Medina-Boudri, A., D.R. Cornejo, O. Ayala, H.R. Bertorello and J. Matutes-Aquino, Reversible

processes in magnetization reversal of co-precipitated cobalt ferrite 219
Mehnen, L., P. Švec, H. Pfützner and P. Duhaj, Displacement sensor based on an amorphous bilayer including a magnetostrictive component 627
Mehnen, L., see Kaniusas, E. 624
Melkebeek, J., see Pulnikov, A. 47
Melkebeek, J., see De Wulf, M. 70
Melkebeek, J., see De Wulf, M. 621
Melkebeek, J., see Makaveev, D. 256
Melkebeek, J., see Pulnikov, A. 355
Melkebeek, J.A.A., see Dupré, L.R. 121
Meneghini, C., see Prieto, A.G. 82
Meydan, T., H. Kockar and P.I. Williams, Magnetic characterization of silicon–iron magnetic material produced by a novel rotating cryostat 91
Meydan, T., see Chatziilias, N. 104
Meydan, T., see Hartmann, K. 318
Meydan, T., see Marketos, P. 612
Meydan, T., see Passadis, K. 385
Meydan, T., see Williams, P.I. 17
Miglierini, M., see Hasiak, M. 457
Miguel, C., A.P. Zhukov and J. González, Magnetoimpedance of stress and/or field annealed $Fe_{73.5}Cu_1Nb_3Si_{15.5}B_7$ amorphous and nanocrystalline ribbon 463
Min, B.K., see Kim, C.S. 553
Mita, M., N. Hirao and F. Kimura, A study of retainer ring made of 13.5Cr–0.6C–Fe dual state magnetic material 272
Miti, G.K., A.J. Moses, N. Derebasi and D. Fox, A neural network-based tool for magnetic performance prediction of toroidal cores 262
Mitra, A., see Raposo, V. 179
Mizokami, M., see Ushigami, Y. 307
Moras, K. and W. Riehemann, Texture and magnetic properties of double-roller meltspun Fe6.5 wt%Si ribbons 29
Morimoto, F., see Nozawa, T. 424
Morón, C., see García, A. 161
Morón, C., see García, A. 296
Morón, C., A. García and M.T. Carracedo, Temperature distribution study in flash-annealed amorphous ribbons 510
Moses, A.J., F. Al-Naemi and J. Hall, Designing and prototyping for production. Practical applications of electromagnetic modelling 228
Moses, A.J., J. Leicht and P. Anderson, Characterising electrical steels under complex magnetising conditions 54
Moses, A.J., see Alnaemi, F. 250
Moses, A.J., see Anayi, F. 36
Moses, A.J., see Hall, J.P. 64
Moses, A.J., see Hartmann, K. 318
Moses, A.J., see Loisos, G. 340
Moses, A.J., see Miti, G.K. 262
Moses, A.J., see Williams, P.I. 17
Moses, A.J., Prediction of core losses of three phase transformers from estimation of the components contributing to the building factor 615
Moulin, J., Y. Champion, J.M. Grenèche and F. Mazaleyrat, Magnetic properties of MnZn ferrite with ultra-fine grain structure 538
Moya, J., see Allia, P. 143
Muñoz, J.M., see Flores, A.G. 583
Murakami, K., see Ushigami, Y. 307
Młyńczyk, A., see Olszewski, J. 516
Młyńczyk, A., see Zbroszczyk, J. 513
Myung, W.N., see Yu, S.C. 450

Nakano, H., see Yamamoto, Ken-ichi 222
Nakano, M., see Fukunaga, H. 519
Nakonechna, L., see Lovas, A. 489
Neagu, M., H. Chiriac, M. Vazquez, F. Borza and T.A. Ovari, Saturation magnetostriction of Co-rich glass-covered amorphous wires 472
Nedelko, O., P. Didukh and A. Ślawska-Waniewska, The micromagnetic simulations of CoNbCuSiB nanocrystalline material 281
Neto, F.B., see Landgraf, F.J.G. 364
Niwa, H., S. Yanase, S. Hashi and Y. Okazaki, Magnetic properties of grain-oriented magnetic steel sheets under temperature distribution 376
Nouchi, N., see Nozawa, T. 424
Nozawa, T., N. Nouchi, F. Morimoto and A. Otani, Coercive force reduction effect in FeCoV and FeNi films due to ultrathin FeNiMo layer 424

Oda, Y., Y. Tanaka, A. Chino and K. Yamada, The effects of sulfur on magnetic properties of non-oriented electrical steel sheets 361
Ojima, R., see Yabukami, S. 111
Okazaki, Y., see Gona, M.N. 466
Okazaki, Y., see Iwami, Y. 127
Okazaki, Y., see Niwa, H. 376
Olah, V., see Sláma, J. 195
Olszewski, J., H. Fukunaga, W. Ciurzyńska, J. Zbroszczyk, A. Łukiewska, A. Młyńczyk, K. Perduta and J. Lelątko, Microstructure and temperature dependence of magnetic properties of nanocrystalline $Fe_{42.7}Co_{42.7}Zr_{6.8-x}Nb_xB_{6.8}Cu_1$ ($x = 0$, 1) alloys 516
Olszewski, J., see Zbroszczyk, J. 513
Ossart, F., see Iordache, V.E. 57
Ossart, F., O. Hubert and R. Billardon, A new internal variables scalar hysteresis model respecting the wiping-out property 170
Otani, A., see Nozawa, T. 424
Ott, G., J. Wrba and R. Lucke, Recent developments of Mn–Zn ferrites for high permeability applications 535
Óvári, T.-A., see Chiriac, H. 469
Ovari, T.A., see Neagu, M. 472

Padilla, W.J., see Flores, A.G. 583
Pankhurst, Q.A., see Yedra, A. 14
Pankhurst, Q.A., see Calderón, R.G. 79
Paolinelli, S.C., see da Cunha, M.A. 379
Park, S.I., see Lee, J.c. 592
Parker, F.T., see Berkowitz, A.E. 1
Passadis, K., T. Meydan and P. Beckley, Neural-network-based single-sided non-enwrapping power loss tester 385

Peña, A., J. Gutiérrez, L.M. Rodríguez-Martínez, J.M. Barandiarán, T. Hernández and T. Rojo, Magnetic order changes in Al substituted $Sr_2FeMoO_6$ double perovskites 586
Peña, A., see Randrianantoandro, N. 528
Perduta, K., see Olszewski, J. 516
Permiakov, V., see Pulnikov, A. 47
Perov, N.S., see Gańshina, E.A. 428
Perrier, J.C., see Cornut, B. 97
Perrier, J.C., see Kedous-Lebouc, A. 124
Perumal, A., see Kim, K.S. 100
Peyresoubes, G., see Lebourgeois, R. 608
Pfützner, H., see Kaniusas, E. 624
Pfützner, H., see Krismanic, G. 60
Pfützner, H., see Krell, C. 201
Pfützner, H., see Mehnen, L. 627
Pierna, A.R., see Apiñaniz, E. 136
Pillmayr, N., see Grössinger, R. 7
Pirota, K.R., see Kraus, L. 399
Platil, A., P. Ripka, P. Kaspar and J. Roztocil, Sampling measurements with digital hysteresisgraph 108
Platil, A., see Ripka, P. 633
Platil, A., see Ripka, P. 639
Plazaola, F., see Apiñaniz, E. 136
Plazaola, F., see Randrianantoandro, N. 528
Pokorný, M., see Havlíček, V. 76
Porter, C., see Chatziilias, N. 104
Potapov, A.P., see Shulika, V.V. 454
Pourroy, G., see Waeckerlé, T. 480
Pérez, L., see Almazán, R.P. 630
Pérez-Landazábal, J.I., see Gómez-Polo, C. 88
Prida, V.M., see Gorria, P. 504
Prida, V.M., see Hernando, B. 525
Prieto, A.G., M.L. Fdez-Gubieda, C. Meneghini and A. García-Arribas, In situ observation of the structural changes induced by thermal annealing on melt-spun $Co_{15}Cu_{85}$ granular alloys 82
Pude, F., see Schoppa, A. 370
Pulnikov, A., V. Permiakov, M. De Wulf and J. Melkebeek, Measuring setup for the investigation of the influence of mechanical stresses on magnetic properties of electrical steel 47
Pulnikov, A., P. Baudouin and J. Melkebeek, Induced stresses due to the mechanical cutting of non-oriented electrical steels 355

Ragusa, C., An analytical method for the identification of the Preisach distribution function 259
Ramiarinjaona, C., see Lebourgeois, R. 191
Randrianantoandro, N., A. Peña, F. Plazaola, J.A. Jimenez, J.-M. Grenèche and J.M. Barandiaran, Magnetic properties of $Fe_{66}Cr_{12}Al_{22}$ crystalline ribbon 528
Raposo, V., A.G. Flores, M. Zazo and J.I. Iñiguez, Magnetic after effect of giant magnetoimpedance in amorphous wires 204
Raposo, V., M. Vázquez and A. Mitra, Torsion dependence of giant magnetoimpedance in amorphous wires 179
Raposo, V., see Flores, A.G. 583
Rasek, J., see Kwapuliński, P. 413
Raveau, B., see Shames, A.I. 589
Rebernak, W., see Lebourgeois, R. 608
Recarte, V., see Gómez-Polo, C. 88
Rege, L., see Bottauscio, O. 234
Repetto, M., see Bottauscio, O. 241
Reydet, P.L., see Waeckerlé, T. 480
Riehemann, W., see Moras, K. 29
Riehemann, W., see Zeleňáková, A. 152
Ringer, S.P., see Suzuki, K. 441
Rinkevich, A.B., L.N. Romashev, V.V. Ustinov and E.A. Kuznetsov, High frequency properties of magnetic multilayers 603
Ripka, P., see Platil, A. 108
Ripka, P., A. Platil, P. Kaspar, A. Tipek, M. Malatek and L. Kraus, Permalloy GMI sensor 633
Ripka, P., M. Vopálenský, A. Platil, M. Döscher, K.-M.H. Lenssen and H. Hauser, AMR magnetometer 639
Rivero, M.A., M. Maicas, E. López, C. Aroca, M.C. Sánchez and P. Sánchez, Influence of the sensor shape on permalloy/Cu/permalloy magnetoimpedance 636
Rizzi, P., see Uriarte, J.L. 532
Rodríguez-Martínez, L.M., see Peña, A. 586
Rodriguez, R., see Berkowitz, A.E. 1
Rojo, T., see Peña, A. 586
Romashev, L.N., see Rinkevich, A.B. 603
Rożniatowski, K., see Bieńkowski, A. 547
Ross, W., see Emura, M. 358
Roth, S., see Grahl, H. 23
Roth, S., see Borrego, J.M. 444
Roth, S., see Saage, G. 26
Rozenberg, E., see Shames, A.I. 589
Roztocil, J., see Platil, A. 108
Ruuskanen, P., see Kaczkowski, Z. 164

Saage, G., S. Roth, J. Eckert and L. Schultz, Low magnetostriction crystalline ribbons prepared by melt spinning and reactive annealing 26
Saihata, H., see Yamaguchi, T. 20
Saito, A., see Iwami, Y. 127
Sal, J.C.G., see Yedra, A. 14
Sano, N., see Tomida, T. 315
Sarabhai, S.D., see Kane, S.N. 495
Sartori, S.S., see Beatrice, C. 149
Sassik, H., see Grössinger, R. 7
Schneider, J., see Fischer, O. 302
Schneider, J., see Schoppa, A. 367
Schoppa, A., H. Louis, F. Pude and Ch. von Rad, Influence of abrasive waterjet cutting on the magnetic properties of non-oriented electrical steels 370
Schoppa, A., J. Schneider, C.-D. Wuppermann and T. Bakon, Influence of welding and sticking of laminations on the magnetic properties of non-oriented electrical steels 367
Schultz, L., see Grahl, H. 23
Schultz, L., see Saage, G. 26
Serpico, C., see Magni, A. 210
Shaligin, A.N., see Shalyguina, E.E. 173
Shalyguina, E.E., M.A. Komarova, N.M. Abrosimova and A.N. Shaligin, Magneto-optical investigation of FeSiBCuNb amorphous wires 173

Shames, A.I., V. Markovich, E. Rozenberg, A. Yakubovsky, C. Martin, A. Maignan, M. Hervieu, B. Raveau and G. Gorodetsky, Electron magnetic resonance and pressure studies of $Sm_{0.2}Ca_{0.8}Mn_{1-x}Ru_xO_3$ ceramics 589
Shchegoleva, N.N., see Vas'kovskiy, V.O. 115
Sheverdyaeva, P.M., see Gańshina, E.A. 428
Shim, I.-B., see Lee, S.W. 565
Shim, I.-B., see Kim, C.S. 568
Shim, I.-B., H.-M. Lee, C.W. Lee, J.-G. Lee and C.S. Kim, Substitution dependence of magnetoresistance in sol–gel-derived $La_{2/3-x}Tl_xCa_{1/3}MnO_{3-\delta}$ 571
Shimizu, R., see Harase, J. 343
Shimoji, H. and M. Enokizono, E&S$^2$ model for vector magnetic hysteresis property 290
Shishkanov, A., see Gonchar, A. 544
Shulika, V.V., A.G. Lavrent'ev, A.P. Potapov and G.S. Korzunin, Peculiarities of manifestation of Barkhausen effect in $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy in amorphous and nanocrystalline states 454
Silva, F.Q., see Landgraf, F.J.G. 364
Sitkowski, T., L. Dominguez, K. Kułakowski and A.Z. Maksymowicz, Magnetism of amorphous FeB in the Bennett model 287
Sláma, J., R. Dosoudil, R. Vícen, A. Grusková, V. Olah, I. Hudec and E. Ušák, Frequency dispersion of permeability in ferrite polymer composites 195
Sláma, J., A. Grusková, R. Vícen, S. Vícenová, R. Dosoudil and J. Franek, Composite material with substituted Li ferrite for high-frequency applications 642
Ślawska-Waniewska, A., see Didukh, P. 407
Ślawska-Waniewska, A., see Nedelko, O. 281
Sánchez, M.C., see Almazán, R.P. 630
Sánchez, M.C., see Rivero, M.A. 636
Sánchez, M.L., see Hernando, B. 525
Sánchez, P., see Almazán, R.P. 630
Sánchez, P., see Rivero, M.A. 636
Snell, D. and A. Coombs, The influence of core materials and mix on the performance of a 100 kVA three phase transformer core 349
Snell, D., see Hall, J.P. 64
Snell, D., see Marketos, P. 612
Sokolov, B.K., see Chernenkov, Y.P. 346
Solzi, M., see Beatrice, C. 149
Song, J.M., see Fukunaga, H. 519
Spada, F.E., see Berkowitz, A.E. 1
Srinivas, V., see Kim, K.S. 100
Stokłosa, Z., see Kwapuliński, P. 413
Štumberger, G., B. Štumberger and D. Dolinar, Magnetically nonlinear and anisotropic iron core model of synchronous reluctance motor 618
Štumberger, B., V. Goričan, G. Štumberger, A. Hamler, M. Trlep and M. Jesenik, Accuracy of iron loss calculation in electrical machines by using different iron loss models 269
Štumberger, B., see Goričan, V. 130
Štumberger, B., see Jesenik, M. 247
Štumberger, B., see Štumberger, G. 618
Štumberger, G., see Štumberger, B. 269
Stupakiewicz, A., see Tekielak, M. 562
Stupakiewicz, A., see Zaytseva, I. 118
Suriñach, S., see Uriarte, J.L. 532
Suzuki, K., J.M. Cadogan, K. Aoki and S.P. Ringer, Soft magnetic properties of Ge-doped nanocrystalline Fe–Zr–B alloys 441
Švec, P., see Mehnen, L. 627
Švec, P., see Vlasák, G. 225
Sycheva, T.S., see Gubernatorov, V.V. 404
Szabó, Zs., see Füzi, J. 237
Szewczyk, R. and A. Bieńkowski, Magnetoelastic Villari effect in high-permeability Mn–Zn ferrites and modeling of this effect 284
Szewczyk, R., see Bieńkowski, A. 67
Szewczyk, R., see Bieńkowski, A. 547
Szpryngacz, M., M. Enokizono and T. Todaka, Magnetization in Fe–Mn–Cr–Ni–Co–Si shape memory alloy 410
Szymczak, R., see Bedarev, V.A. 216

Takahashi, N., see Tomida, T. 315
Takamiya, T., M. Kurosawa and M. Komatsubara, Effect of hydrogen content in the final annealing atmosphere on secondary recrystallization of grain-oriented Si steel 334
Takanohashi, R., see Landgraf, F.J.G. 364
Takezawa, M., J. Yamasaki, T. Honda and C. Kaido, Domain structure of chemically thinned non-oriented electrical sheet 167
Tanaka, H., see Fukunaga, H. 519
Tanaka, Y., see Oda, Y. 361
Tejedor, M., see Hernando, B. 525
Tekielak, M., A. Stupakiewicz, A. Maziewski and J.M. Desvignes, Temperature-induced phase transitions in Co-doped YIG films 562
Tiberto, P., see Allia, P. 143
Tiberto, P., see Allia, P. 207
Tiberto, P., see Beatrice, C. 158
Tilley, R.J.D., see Williams, P.I. 17
Tipek, A., see Ripka, P. 633
Todaka, T., see Hirano, M. 43
Todaka, T., see Hori, S. 133
Todaka, T., see Szpryngacz, M. 410
Tomida, T., N. Sano, K. Ueda, K. Fujiwara and N. Takahashi, Cube-textured Si-steel sheets by oxide-separator-induced decarburization and growth mechanism of cube grains 315
Torcunov, A., see Zhukova, V. 94
Tosetti, J.P.V., see Landgraf, F.J.G. 364
Trlep, M., see Goričan, V. 130
Trlep, M., see Jesenik, M. 247
Trlep, M., see Štumberger, B. 269
Tumanski, S., Investigations of the anisotropic behaviour of SiFe steel 50
Tumanski, S., see Baudouin, P. 32

Ucko, D.H., see Calderón, R.G. 79
Ueda, K., see Tomida, T. 315
Uhm, Y.R., Lee, C.W., S.R. Yoon, J.-G. Lee and C.S. Kim, The Mössbauer study of magnetic phase transition in single crystal $(Nd_{1-x}Sm_x)_{1/3}Sr_{2/3}FeO_3$ 595
Uhm, Y.R., see Kim, C.S. 553
Ušák, E., see Krivošík, P. 198

Ušák, E., see Sláma, J. 195
Uriarte, J.L., A.R. Yavari, S. Suriñach, P. Rizzi, G. Heunen, M. Baricco, M.D. Baró and A. Kvick, Properties of FeNiB-based metallic glasses with primary BCC and FCC crystallisation products 532
Ushigami, Y., M. Mizokami, M. Fujikura, T. Kubota, H. Fujii and K. Murakami, Recent development of low-loss grain-oriented silicon steel 307
Ustinov, V.V., see Rinkevich, A.B. 603

Van Keer, R., see Dupré, L.R. 121
Varga, B., see Lovas, A. 489
Varga, L.K., see Chakrabarti, P.K. 447
Varga, L.K., Zs. Gercsi, Gy. Kovács, A. Kákay and F. Mazaleyrat, Stress-induced magnetic anisotropy in nanocrystalline alloys 477
Varga, L.K., see Kane, S.N. 501
Vas'kovskiy, V.O., N.N. Shchegoleva, R.L. Antón, M.L. Fdez-Gubieda, G.V. Kurlyandskaya, V.N. Lepalovskij and A.A. Yuvchenko, The properties of Co–Cu melt-spun ribbons and thin films: similarity and difference 115
Vazquez, M., see Neagu, M. 472
Vícen, R., see Sláma, J. 195
Vícen, R., see Sláma, J. 642
Vícenová, S., see Sláma, J. 642
Vecchio, K.S., see Berkowitz, A.E. 1
Vergara, J., see Madurga, V. 140
Vernescu, C., see Kedous-Lebouc, A. 321
Vinai, F., see Allia, P. 143
Vinai, F., see Allia, P. 207
Vincze, I., see Kiss, L.F. 483
Vlasák, G., P. Švec and P. Duhaj, Evolution of magnetostriction in $Fe_{73.5-x}Ni_xCu_1Nb_3Si_{13.5}B_9$ ($x = 0$, 10, 20, 30, 40) alloy in the course of transformation 225
Von Rad, Ch., see Schoppa, A. 370
Vopálenský, M., see Ripka, P. 639
Vértesy, G. and B. Keszei, Double magnetic layer formed in epitaxial garnet films by annealing 550
Vértesy, Z., see Zeleňáková, A. 152
Vázquez, M., see Hernando, B. 525
Vázquez, M., see Raposo, V. 179

Waeckerlé, T., F. Alves, P.L. Reydet, J. Degauque and G. Pourroy, Magnetic behaviour of a nanocrystallized $Fe_{73}Si_{15}B_8Nb_3Cu_1$ alloy 480
Waeckerlé, T., H. Fraisse and D. Gautard, Nanocrystallized cores for ground fault circuit breakers 253
Waeckerlé, T., see Cornut, B. 97
Waeckerlé, T., see Lebourgeois, R. 191
Williams, P.I., A.J. Moses, T. Meydan and R.J.D. Tilley, Amorphization of bulk magnetic materials by an arc melting technique 17
Williams, P.I., see Meydan, T. 91
Woo, J.S., see Bae, B.K. 373
Wrba, J., see Ott, G. 535
Wuppermann, C.-D., see Schoppa, A. 367
Wysłocki, B., see Zbroszczyk, J. 513

Yabukami, S., R. Ojima, M. Yamaguchi, K.I. Arai and S. Kikuchi, Highly sensitive permeability measurements obtained by electrical impedance 111
Yakubovsky, A., see Shames, A.I. 589
Yamada, K., see Oda, Y. 361
Yamada, S., see Kondo, K. 541
Yamaguchi, M., see Yabukami, S. 111
Yamaguchi, T. and H. Saihata, Structures and magnetic properties of iron–nitrogen alloy powders prepared by mechanical alloying process 20
Yamamoto K.-i., H. Nakano and Y. Yamashiro, Effect of compressive stress on hysteresis loss of Terfenol-D 222
Yamasaki, J., see Takezawa, M. 167
Yamashiro, Y., see Yamamoto, Ken-ichi 222
Yamashiro, Y., see Hasiak, M. 434
Yamashiro, Y., see Hasiak, M. 457
Yanai, T., see Hasiak, M. 457
Yanai, T., see Fukunaga, H. 519
Yanase, S., see Niwa, H. 376
Yanase, S., see Gona, M.N. 466
Yavari, A.R., see Uriarte, J.L. 532
Yedra, A., L.F. Barquín, J.C.G. Sal and Q.A. Pankhurst, Nanoscale alloys prepared by sodium borohydride reduction of aqueous Fe–Cu and Co–Cu solutions 14
Yonamine, T., see Landgraf, F.J.G. 328
Yonamine, T., see Landgraf, F.J.G. 364
Yoon, S.H., S.B. Kim, H.M. Lee and C.S. Kim, Distributions of hyperfine parameters in nanocrystalline $Fe_{83}B_9Nb_7Cu_1$ alloys 507
Yoon, S.R., see Kim, C.S. 553
Yoon, S.R., see Kim, C.S. 568
Yoon, S.R., see Kim, S.B. 580
Yoon, S.R., see Lee, S.W. 565
Yoon, S.R., see Uhm, Y.R. 595
Yoon, T.-S., Y. Li, E.S. Koo and C.O. Kim, Soft magnetic properties of as-deposited Fe–Si–O thin films 416
Yu, S.-C., see Kim, K.S. 437
Yu, S.C., Y.U. Kim, C.G. Kim, Y.H. Kang and W.N. Myung, Permeability spectra of neutron-irradiated and annealed amorphous FeCuNbSiB ribbons 450
Yu, S.C., see Kim, K.S. 100
Yu, S.C., see Lee, H. 522
Yuvchenko, A.A., see Vas'kovskiy, V.O. 115

Zablotskii, V., see Zaytseva, I. 118
Zagyi, B., see Ziman, J. 176
Zaytseva, I., A. Stupakiewicz, A. Maziewski and V. Zablotskii, Light-induced changes of cubic and uniaxial magnetic anisotropy in a magnet doped by strongly anisotropic ions 118
Zazo, M., see Flores, A.G. 583
Zazo, M., see Raposo, V. 204
Zbroszczyk, J., J. Olszewski, W. Ciurzyńska, B. Wysłocki, R. Kolano, A. Młyńczyk, M. Łukiewski, A. Kolano and J. Lelątko, Microstructure and some magnetic characteristics of amorphous and nanocrystalline $Fe_{83-x}Co_xNb_3B_{13}Cu_1$ ($x = 0$ or 41.5) alloys 513
Zbroszczyk, J., see Olszewski, J. 516

Zeleňáková, A., P. Kollár, M. Kuźmiński, M. Kollárová, Z. Vértesy and W. Riehemann, Magnetic properties and domain structure investigation of laser treated Finemet 152
Zemánek, I., Exciting signal generator for SSTs 73
Zhukov, A., see Zhukova, V. 94
Zhukov, A., see Zhukova, V. 182
Zhukov, A., see Zhukova, V. 185
Zhukov, A., see Chizhik, A. 188
Zhukov, A., see Chiriac, H. 469
Zhukov, A.P., see Miguel, C. 463
Zhukova, V., A. Zhukov, J. Gonzalez and J.M. Blanco, Length effect in a negative magnetostrictive Co–Si–B amorphous wire with rectangular hysteresis loop 182
Zhukova, V., A. Zhukov, J.M. Blanco and J. Gonzalez, Orientational dependence of switching field in bistable Co-rich wires 185
Zhukova, V., J.M. Blanco, A. Zhukov, J. Gonzalez, A. Torcunov and V. Larin, Magnetostriction of glass-coated Co-rich amorphous microwires and its dependence on current annealing 94
Ziman, J., M. Kladivová and B. Zagyi, Influence of a "domain-drag effect" on the movement of a single boundary between circular domains in stress-annealed amorphous CoFeSiB wire 176

ELSEVIER

Journal of Magnetism and Magnetic Materials 254–255 (2003) 657–659

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

# Subject index to volumes 254–255

3D magnetostatics 237

After effect 204
Amorphous 428, 450
Amorphous alloys 17, 287, 413
Amorphous and nanocrystalline alloys 516
Amorphous and nanocrystalline materials 434
Amorphous magnetic materials 133, 447
Amorphous materials 463
Amorphous ribbons 250, 627
Amorphous systems 469
Amorphous systems—alloys 67
Amorphous systems—metals 140
Amorphous systems—ribbons 161, 296, 510
Amorphous systems—soft magnetic 207, 213, 399, 472, 598
Amorphous systems—wires 188, 472
Amorphous wires 173, 176, 179, 185, 204, 525
AMR 639
Anisotropy 50, 315, 321, 522
Anisotropy (magnetic) 424
Anisotropy energy 580
Anisotropy—magnetization processes 213
Anisotropy—constants, magnetoelastic, stress induced 469
Anisotropy—hyperfine fields 477
Anisotropy—induced 161, 346
Anisotropy—magnetic 328, 460, 618
Anisotropy—magnetoelastic, perpendicular, planar 598
Anisotropy—random 441, 538
Anisotropy—stress induced 149, 477
Anisotropy—magnetoresistivity 293
Annealing 94, 127, 388, 428, 550
Annealing effect 475
Annealing—flash 510
Anomaly factor 167
Antiferromagnetic 216
Antiferromagnetic coupling 100
Apparent power 612
Arc melting 17
Artificial intelligence 262
Artificial neural network 385
Atomic migration 565
Automatic 60

Barkhausen effect 454
Barkhausen noise 318
$B(H)$ 124
$B$–$H$ curve 293
$B$–$H$ modelling 293
Bilayers 624
Bimetallic strips 627
Bistability 161
Bulk amorphous Fe-based alloy 23

Cation distribution 553
Charge disproportionation (CD) 595
Charge ordering (CO) 595
Chemical reduction 14
Circular magnetisation 382
Clusterization 404
CMR 568
Co-based alloys 281, 407
Cobalt ferrite 219
Coercive force 404, 556, 559
Coercivity 17, 434, 444, 460
Coercivity-field 140
Coercivity—composition dependence 447
Coincidence boundary 343
Colossal magnetoresistance 571
Complex permeability 195
Complex permeability spectra 191, 608
Composite 191
Composite materials 195, 642
Computer simulation 228, 287
Consolidated 612
Core losses 269, 307, 315, 373, 379, 434, 457, 513, 541, 608
Critical length 182
Crystal structure 136
Crystallisation 413
Cube texture 315
Curie temperature 544
Cutting 355, 370

DC-bias magnetic field 535
DC-biased magnetic property 39
Decarburization 315, 337
Defect effect 528
Deformation 302
Deformation-affected zone 355
Density change 489
Device motors 250
Devices 228
Devices-motors 269, 618
Diffusion 36
Digital methods 73, 76, 104, 108
Digitization 73, 108
Disaccommodation 516
Disorder compounds 577
Disorder—alloys 136
Distorted waveforms 54, 133
Domain pattern 155, 424
Domain pattern variations 598
Domain refinement 349
Domain structure 152, 167, 307, 454, 525
Domain wall 424
Domain wall dynamics 176
Domain wall motion 404
Domain wall pinning 519
Domains 265, 324
Double perovskite 583
Double roller 29
DSC 495
Dynamic hysteresis 278

E&S$^2$ modeling 290
Eddy currents 176, 210, 234
Elasticity moduli 164
Electric motors 367, 370
Electrical conductivity 583
Electrical steel coatings 340
Electrical steels 32, 47, 50, 57, 70, 124, 247, 265, 269, 302, 318, 324, 328, 340, 349, 358, 364, 615, 621
Electrodeposition 85, 630
Electromagnetic field computations 228
Electron magnetic resonance 589
Electron-doped manganites 589
Energy dissipation 328
Exchange interactions 437, 441, 522
Excitation—magnetic 73

Fayalite 337
$Fe_{66}Cr_{12}Al_{22}$ 528
FEA 228
FeB-based alloys 532
FEM 250
Fe–Co alloys 26
Fe–Zr–B 441
Ferrites 195, 284, 541, 547, 565, 642
Ferrites—spinel 538
Ferromagnetic 17

0304-8853/03/$ - see front matter
PII: S0304-8853(02)01439-7

Ferromagnetic composite 608
Ferromagnetic resonance 399, 419, 431, 583
Ferromagnetic ribbons 528
Ferromagnets—soft 76
Ferrous shape memory alloy 410
Fesi alloys 302
FeSi6.5% 29
Field calculations 296, 382
Field computation 234
Fine particles 143
FINEMET 152
Finemet 191, 486, 489
Finite element method 247, 290
Flux density 54
Flux rotation 130
Force magnetostriction 225

Garnets 118, 553, 562
Garnets—rare earth iron 550
Garnets—thin films 556
Giant magnetoimpedance 399, 463
Glass transition 444
Glass-coated amorphous microwires 94
GMI effect 633
Goss texture 334
Grain growth 315
Grain orientation 379
Grain size 373
Grain-oriented magnetic steel sheets 376
Grain-oriented silicon steel 307, 331, 343
Grain-oriented silicon steel sheet 133
Grain-oriented steel 198, 324, 334, 337, 388
Granular systems 82, 85
Ground fault circuit breaker 253

Halbach cylinder 97
Harmonics 54
Heat-treatment 23, 164, 528
Heating rate 373
Helical anisotropy 525
Heterostructures 556
Hidden nodes 385
High frequency 111
High permeability 253, 480, 535
High-field measurements 76
High-frequency carrier-type magnetic field sensor 111
High-frequency characteristics 419
Highly grain oriented silicon steel 201
Hysteresis 204, 237
Hysteresis loop—butterfly shaped 121
Hysteresis loops 7, 108, 179, 188, 259
Hysteresis loss 222, 361
Hysteresis—magnetic 143, 256, 259

Impedance 535
Incremental permeability 437, 522
Induction motors 124, 241, 244, 299
Information storage—thermomagnetic recording 556
Initial permeability 541
Insulation failure 340
Integral equations method 237
Intermetallic phases 532
Iron core model 618
Iron loss 39, 133, 615
Iron–nitride 20

Jiles–Atherton–Sablik model 284

Kerr-effect 155, 173, 188, 293

Landau–Lifshitz–Gilbert equation 210
Large Barkhausen jump 182, 185
Laser displacement meter 43
Laser Doppler vibrometer 43
Laser treatment 152
Light-induced anisotropy 118
Local power loss 60
Loop length 535
Losses 124, 191, 489
Low temperature 522

Machine current 124
Magnetic anisotropy 91, 176, 463, 498, 559, 562
Magnetic blocking 483
Magnetic circuits 299
Magnetic clusters 483
Magnetic domain walls 176
Magnetic field 247, 269, 272
Magnetic field annealing 498
Magnetic films 91
Magnetic flux density 373
Magnetic frequency changers 299
Magnetic garnet films 559
Magnetic hardness 483
Magnetic hysteresis modelling 170
Magnetic induction 343
Magnetic inhomogeneity 571
Magnetic loss separation 198
Magnetic loss testers 70, 76
Magnetic losses 29, 36, 54, 60, 198, 213, 241, 244, 262, 328, 358, 364, 642
Magnetic materials 104
Magnetic measurements 47, 50, 57, 70, 247, 352
Magnetic ordering 574, 586
Magnetic particles 1
Magnetic properties 152, 253, 367, 370, 413, 480
Magnetic relaxation 79
Magnetic sensors 633, 636, 639
Magnetic steel sheet 43
Magnetic transition 136
Magnetisation mechanisms 191
Magnetisation models 275
Magnetisation—processes 149
Magnetisation—static 259
Magnetization 20, 127, 410, 444, 472, 513, 574, 577
Magnetization curves 173
Magnetization processes 158, 213, 265, 324
Magnetization profile 182
Magnetization reversal 219
Magnetization-processes 296
Magnetization—curves 143
Magnetization—models 143
Magnetization—models, time dependent 256
Magnetization—processes 161
Magnetization—saturation 73
Magneto-mechanical coupling 275
Magnetocaloric effect 407
Magnetoelastic anisotropy 352
Magnetoelastic effects 67, 472, 547, 627
Magnetoelastic energy 480
Magnetoimpedance 179, 204, 207, 466, 636
Magnetoimpedance effect 498
Magnetomechanical coupling 399, 598
Magnetometer 633
Magnetometry 7, 639
Magnetoresistance 82, 85, 115, 577, 589, 592
Magnetoresistance—giant 603
Magnetoresistors 639
Magnetostatic and magneto-optical properties 428
Magnetostriction 7, 43, 121, 179, 222, 265, 307, 324, 352, 376, 444, 477, 627
Magnetostriction—saturation 447
Magnetostriction—zero 472
Magnetostrictive amorphous ribbons 624
Manganite 571
Manufacturing process 367, 370
Material characterisation 130
Material testing 32
Mean-field approximation 259
Measurement 60
Mechanical alloying 20
Mechanical properties 621
Melt spinning 29
Melt-spun alloys 88, 441
Metallic glasses 164, 225, 486, 501, 532
Metastable phases 207
Micromagnetic simulation 281
Microstructure 388, 513, 541, 547
Microwave 642
Microwave absorption 603
Minor loops 170
Mn–Zn ferrite 535
Modelling 355
Mössbauer spectra 553
Mössbauer spectroscopy 457, 492, 495, 501, 507, 565, 568, 580, 586, 595
Multilayers—metallic 603

Nano-crystalline materials 519
Nanocrystalline 191, 416, 437, 513
Nanocrystalline alloys 407, 457, 489, 492
Nanocrystalline materials 173, 281, 460, 463, 475, 477, 483, 486, 495, 504, 507
Nanocrystalline ribbons 466
Nanocrystalline soft materials 158
Nanocrystallized ribbon 253, 480
Nanogranular alloys 14, 79, 143
Nanoparticles 538
Neural networks 256, 262
Neutron diffraction 504, 580
Neutron irradiation 450
Nitrogen martensite 20
Noise reduction 318
Non-destructive testing 318
Non-linear minimization 237
Non-linear susceptibility 598
Non-oriented electrical steel 367, 370
Non-oriented Si–Fe electrical sheets 167
Non-oriented steels 64, 265, 324, 361, 379
Numerical simulation 121, 241, 244, 259

On-line tester 385
Ordered crystalline phase 516
Ordered phase 88
Oxide separator 315

Particle production 1
Particles 1
Permalloy 293
Permeability 111, 358, 379, 434, 457, 489, 519, 538, 544
Permeability ratio 437, 522
Permeability spectra 450
Perovskite structure 574, 586
Phase transitions 216, 562, 595
Phase transitions—martensitic-like 275
Phase transitions–order–disorder 136
Photoinduced effect 216
Photomagnetic effects 118
Plastic deformation 501
Pole sheet 621
Powder metallurgy 391
Power losses 60, 201, 612
Precipitation 361
Preisach model 121, 259
Preisach-type models 278
Preisach/biaxial particle 321
Primary recrystallization 343
Pulse width modulation 36
Pulsed laser deposition 140
Punching 124, 358

Quenching 272

Rapid quenching 29
Rapid solidification 26
Rare-earth permanent magnet 250
Reactive annealing 26
Reentrant behavior 100
Relaxation 195, 207
Resistivity 447
Resonance 195
Reversible and irreversible magnetization 219
Ribbons 115
Rise-of-temperature 60
Rotating exciting field 321
Rotational hysteresis 234
Rotational magnetization 201
Rotational single sheet tester 130

Saturation 237, 535
Saturation induction 434
Saturation magnetization 486
Saturation magnetostriction 225
Saturation magnetostriction constant 94
Secondary recrystallization 307, 331, 334, 343
Sensor fluxgate 630
Sensors 60, 598, 627
Shape memory alloy 410
Short-range order 346
Signal processing 104
Silica 337
Silicon steels 36, 91, 352, 379
Single-particle excitation 100
Single-phase 612
Skin effect 88
Small angle magnetization rotation method 94
Soft magnetic 437, 522
Soft magnetic materials 26, 155, 259, 262, 265, 272, 324, 391, 475, 504
Soft magnetic nanocrystalline materials 431
Soft magnetic particles 1
Soft magnetic properties 23, 416
Sol–gel 565, 568
Sol–gel process 571
Spark erosion 1
Specifications 621
Spin dynamics 210
Spin freezing 483
Spin wave 100
Spin wave stiffness constant 437
Spin waves-constant 486
Spinel ferrites 544, 608
Sputtering 91
Sticking 367
Stress 376
Stress effect 32, 47, 57, 149
Stress magnetization 127
Stress-induced anisotropy 466
Stress-residual 64
Stress—compressive 222
Strip casting 364
Strip-wound cores 262
Striped film 111
Structural defects 501, 559
Structural relaxation 413, 489, 528
Subscale 337
Superparamagnetism 158, 483
Surface structure 361
Susceptibility 513, 516
Susceptibility-frequency dependent 88
Susceptibility—domain wall 149
Switching field 182, 185
Synchronous reluctance motor 618

Temperature distribution 376
Tensile stress 127
Terfenol-D 222
Texture 29, 97, 364, 373, 379, 388
Thermal expansion 510
Thermal sensors 624
Thermal stability 544
Thermistor 60
Thermomagnetic treatment 346, 404, 454
Thickness effects 419
Thin films 115, 210, 416, 550, 636
Thin films (magnetic) 424
Thin films—magnetic 592
Thin films—sputtered 592
Thin films—amorphous 140
Torque magnetometer 97
Torsional stress 525
Transformation process 225
Transformer cores 201, 349, 612
Transformers 615
Two-dimensional magnetic property 39, 290
Two-dimensional system 630

Ultrasound velocities 164

Variational method 296
Vector hysteresis 382
Vector magnetic property 39
Vectorial hysteresis 321
Very low anisotropy FeNiCrCo 97
Villari effect 284
Volume magnetostriction 225

Wafer probe 111
Waterjet 370
Welding 367

X-ray characterization 480
X-ray diffraction 82, 346
XRD 492, 495